


NEW

OSCAR

COMPACT, AN ALLY OF SMALL SPACES, IT RETAINS A BEAUTIFUL VIEW OF THE FIRE.



50 to 110
m²

SUPRO.

VERTICAL STEEL WOOD STOVES



COMBUSTION AND MATERIALS

- **Dual combustion** for more efficient and cleaner combustion (minimum CO and dust content)
- RE 2020 COMPATIBLE SEAL: high level of airtightness allows combustion air control (fully channelled and controllable primary air, secondary air and window air)
- **High density vermiculite interior** for increased resistance to extremetemperatures and improved combustion
- Double wall cast iron for extra strength
- Cast-iron grating and sill
- High-strength ceramic glass

INSTALLATION AND USE

- Back or top flue connection (150 mm)
- **Back protection** to reduce the rear side temperature
- Small installation distance : can be positioned **30 cm from the wall**
- Adjustable primary and secondary air
- **"Clean glass" system**
- Removable large capacity ashtray

PRODUCT PERFORMANCE

Nominal power	4.8 kW
Power range	4 to 6 kW
Efficiency	77,6 %
Seasonal efficiency	67,6 %
CO (13 % O ₂) (%/mg/Nm ³)	0.07/826
Nominal load	1.37 kg/h
Dust (mg/Nm ³)	26
NOx (mg/Nm ³)	121
COV (OGC) (mg/Nm ³)	45
Mean flue gas temperature	285 °C
Flue gas mass flow	4.7 g/s
Nozzle depression (nominal)	12 Pa
CO ₂ emissions	9.91 %
Dual combustion	Yes
Airlight	Yes
ECODESIGN 2022	Yes

PRODUCT INFORMATION

EAN Code:	376 007 541 328 6
Product code	FR9016070B
Main material	Steel
View of the fire (diagonal)	43 cm (16 inch)
Log size	25 cm (30 cm MAX.)
Gross weight	92 kg
Net Weight	80 kg
Dimensions LxHxD	44.7 x 63.6 x 36.9 cm
Packaging dimensions LxHxD	52 x 73 x 49 cm

INSTALLATION AND SIZING

Diameter of flue gas nozzle	150 mm
Flue gas connection	Back or above part
Flue collar	Male
Diameter connection to outside air	100 mm (back)
Back installation distance*	30 cm
Lateral installation distance*	30 cm

*Distance between the heater and combustible materials

PRODUCT PHOTOS



Ergonomic handle adapted for its everyday use.



Air control at the bottom of the appliance for regulating primary and secondary air.

DIMENSIONAL PLAN

